

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	124	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn)) with ((positive or cathode) with capacity) and ((negative or anode) with capacity)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 10:55
L4	115	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn)) with ((positive or cathode) with capacity) and ((negative or anode) with capacity) and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 10:56
L5	28	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn)) with ((positive or cathode) with capacity) and ((negative or anode) with capacity) with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 10:56
L6	7	battery and (((lithium or li) with (nickel or Ni) with (manganese or Mn)) with ((positive or cathode) with capacity) and ((negative or anode) with capacity)) with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 10:56
L7	0	6 and @ad<"20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 10:56
L8	9	5 and @ad<"20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 10:56
L9	4	8 and surface area	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/02 11:06
S1	778	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn) with (zirconium or Zr))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 15:47

S2	273	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn) with (zirconium or Zr)) and ((positive or cathode) with layer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 15:48
S3	163	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn) with (zirconium or Zr)) and ((positive or cathode) with layer\$4) and potential	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 15:48
S4	56	S3 and @ad< "20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 15:49
S5	23	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn) with (zirconium or Zr)) with ((positive or cathode) with layer\$4) and potential	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 15:49
S6	0	S5 and @ad< "20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 15:49
S7	54	S4 and voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 16:18
S8	2	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn) with (zirconium or Zr)) with ((positive or cathode) with surface area)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 16:59
S9	0	S8 and @ad< "20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 17:00
S10	36	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn)) with ((positive or cathode) with surface area)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 17:00
S11	22	S10 and @ad< "20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 17:01

S12	5	battery and ((lithium or li) with (nickel or Ni) with (manganese or Mn)) with ((positive or cathode) with surface area) and capacity ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 17:03
S13	3	S12 and @ad<"20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2008/08/01 17:04

8/ 2/ 2008 11:41:02 AM

C:\ Documents and Settings\ koneill\ My Documents\ EAST\ Workspaces\ 10566655 Tode.wsp